

CATALOGUE

MODEL FX110 DINOSAUR



Engine	110cc, 4 Stroke, Air Cooled
Transmission	Automatic Clutch
Gear	F-N
Ignition	Electric Ignition (CDI)
Start Way	Electric Start
Battery	12V/5A
Front Brake	Double Drum Brake
Rear Brake	Single Hydraulic Disc Brake
Front Suspension	Double Spring Suspension
Rear Suspension	Single Suspension
Final Drive	Chain
Fuel Tank	2L
Exhaust Pipe	Single
Max Speed	50km/h
Front/Rear Tire	145/70-6/145/70-6 tubeless
Seat Height	580mm
Ground Clearance	75mm
N/G.W	68/78 kgs
Vehicle Size	1225x750x880cm
Carton Size	116x65x58cm
Container	72pcs/20FT, 144pcs/40'HQ
Color	red, blue, black, white, orange, yellow, green, camouflage and metallic color



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL FX125-1 SMALL BULL



Engine	125cc, 4 Stroke, Air Cooled
Transmission	Automatic Clutch with Reverse
Gear	F-N-R
Ignition	Electric Ignition (CDI)
Start Way	Electric Start
Battery	12V/5A
Front Brake	Double Drum Brake
Rear Brake	Single Hydraulic Disc Brake
Front Suspension	Double Spring Suspension
Rear Suspension	Single Suspension
Final Drive	Chain
Fuel Tank	3L
Exhaust Pipe	Single
Max Speed	60km/h
Front/Rear Tire	19/7.0-8/18/9.5-8 tubeless
Seat Height	700mm
Ground Clearance	115mm
N/G.W	92/104kgs
Vehicle Size	1530x930x980cm
Carton Size	130x76.5x64cm
Container	36pcs/20FT, 108pcs/40'HQ
Color	red, blue, black, white, orange, yellow, green, camouflage and metallic color



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

FX150CC/200C-1 BIG BULL



Engine	150cc, GY6, Air Cooled, 180cc Oil Cooling
Transmission	Automatic Clutch with Reverse
Gear	F-N-R
Ignition	Electric Ignition (CDI)
Start Way	Electric & Pull Start
Battery	12V/9A
Front Brake	Double Disc Brake
Rear Brake	Single Hydraulic Disc Brake
Front Suspension	Double Spring Suspension
Rear Suspension	Single Suspension
Final Drive	Chain
Fuel Tank	4.5L
Exhaust Pipe	Single
Max Speed	70km/h
Front/Rear Tire	23/7.0-10/22/10 tubeless
Seat Height	-
Ground Clearance	-
N/G.W	152/172kgs
Vehicle Size	1730x1080x1130mm
Carton Size	146x83x85cm
Container	22pcs/20FT, 66pcs/40'HQ
Color	red, blue, black, white, orange, yellow, green, camouflage and metallic color



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

FX125-2 MARS



Engine	125cc, 4 Stroke, Air Cooled
Transmission	Automatic Clutch with Reverse
Gear	F-N-R
Ignition	Electric Ignition (CDI)
Start Way	Electric Start
Battery	12V/5A
Front Brake	Double Disc Brake
Rear Brake	Single Hydraulic Disc Brake
Front Suspension	Double Spring Suspension
Rear Suspension	Single Suspension
Final Drive	Chain
Fuel Tank	3L
Exhaust Pipe	Single
Max Speed	60km/h
Front/Rear Tire	19/7.0-8/ 18/9.5.8 tubeless
Seat Height	720mm
Ground Clearance	115mm
N/G.W	93/105kgs
Vehicle Size	140x900x1040mm
Carton Size	1430x830x640cm
Container	33pcs/20FT, 88pcs/40' HQ
Color	red, black, white



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

FX150CC/200CC-2 BIG BULL



Engine	150cc, GY6, Air Cooled, 180cc Oil Cooling
Transmission	Automatic Clutch with Reverse
Gear	F-N-R
Ignition	Electric Ignition (CDI)
Start Way	Electric & Pull Start
Battery	12V/9A
Front Brake	Double Disc Brake
Rear Brake	Single Hydraulic Disc Brake
Front Suspension	Double Spring Suspension
Rear Suspension	Single Suspension
Final Drive	Chain
Fuel Tank	4.5L
Exhaust Pipe	Single
Max Speed	70km/h
Front/Rear Tire	23/7.0-10/22/10 tubeless
Seat Height	-
Ground Clearance	-
N/G.W	152/172kgs
Vehicle Size	1730x1080x1130mm
Carton Size	146x83x85cm
Container	22pcs/20FT, 66pcs/40'HQ
Color	red, blue, black, white, orange, yellow, green, camouflage and metallic color



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL 501A



Model No	7BY-350F
Net Weight	420kgs
Dimension	L*W*H (1920*740*1070MM)
Bucket Dimension	L*W*H (1120*720*500mm)
Data of Rubber Track	Crawler Ground Length : 800mm Centre Distance : 500mm Width of Track : 150mm Minimum ground clearance : 140mm
Engine	Brand & Model : Model 186FSD, Diesel Engine Rate Power : 6.6
Max Loading Weight	500kgs
Minimum Ground Clearance	140mm



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL 1-502T



Model No	7BY-500FCD
Net Weight	450kgs
Dimension	L*W*H (2120*990*1120)
Bucket Inside Size	L*W*H (1250*930*450)
Bucket Angle of Inclination	≥20
Data of Rubber Track	Crawler Ground Length : 800mm Centre Distance : 720mm Width of Track : 203mm Width of Chasis : 900mm Minimum ground clearance : 160mm
Engine	Brand & Model : Model 186FSE, Air Cooled Diesel Engine, Electric Start Rate Power : 6.3
Max Loading Weight	500kgs
Forward	0.6-5.68km/h
Reverse	0.8-2.57km/h
Gear Shift	3+1*2
Climbing Slope Degree	≤15



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL FARM ATV250 (FATV250)



Name	Model Farm ATV250
Engine /Engine Type	Petrol, ZS167mm -250cc / Single-Cylinder, Water Cooling, Transmission Shaft, Manual Clutch, Electrical Starting
Tire Size	Front : 22x7.0-10/ Rear : 22x10-10
Hub	Front : Steel (5.5x10) / Rear : Steel (8.0x10)
Front Suspension	Single Swing Arm
Rear Suspension	Plate Spring
Dimension	L*W*H (2550x1200x1390)
Wheel Base	1550mm
Seat Height	800mm
Mini Ground Floor	180mm
Net Weight	310kgs
Displacement	250cm
Max Power	11.5kw/6500r/min
Max Torque	17.5N.m/5500r/min
Brake (F/R)	Drum/Drum
Max Speed	≥65km/h
Max Load Capacity	300kgs
Fuel Consumption (L/100km)	≤5.1
Transmission Style	Shaft



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL 503T



Name & Model	7BY-800SJ Hydraulic Lifter and Dumper
Net Weight	650kgs
Dimension of whole Machine	2160*1000*1350mm
Bucket Inside Size	L*W*H (1250*930*450)
Bucket Angle of Inclination	≥20
Data of Rubber Track	Ground Contact Length : 910mm Ground Distance of Crawler : 785mm Crawler Width : 200mm/230mm Crawler Data : 200*72*43/230*72*43
Engine	Single Cylinder Air Cooler Diesel Engine SF186FSE
Max Loading Weight	800kgs
Starting Method	Electric Start
Ground Clearance	140mm
Minimum Height (When bucket be lifted)	1.8m
Climbing Angle	4.5 degree



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL 1TA/ PB 1000



Weight	750kgs
Gear	3 Forward Gear + 1 Reverse
Driving Speed	0-5km/h
Max Loading	1000kgs
Gradeability	30 Degree
Engine Power	7.5kw
Over-Obstacle Capacity	20cm
Whole Size L*W*H	1800*1100*1400mm
Diesel Engine Type	CF 188FE
Ground Clearance	200mm
Fording Depth	500mm
Wade Mud Depth	300mm
Ground Contact Length of Track	1100mm
Crawler Width	400mm



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL 2TA/ PB 2000



Weight	1300kgs
Gear	3 Forward Gear + 1 Reverse
Driving Speed	0-8km/h
Max Loading	2000kgs
Gradeability	30 Degree
Engine Power	20.1kw
Over-Obstacle Capacity	20cm
Whole Size L*W*H	3000*1600*2230mm
Diesel Engine Type	CF 1130
Ground Clearance	250mm
Fording Depth	500mm
Wade Mud Depth	400mm
Ground Contact Length of Track	1500mm
Crawler Width	400mm
Carriage Dimension	1800*1800*600mm



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL BS200AU-18



Engine	Lx162FMK-2
Engine Type	Single-Cylinder, Air Cooling, CVT with Balance Shaft
Tire Size	Front : 22x7.0-10 Rear : 22x10-10
Hub	Steel
Front Suspension	Single Swing Arm
Rear Suspension	Integral Rear Axle
Dimension	L*W*H (2010x1100x1200)
Wheel Base	1160mm
Seat Height	780mm
Mini Ground Floor	130mm
Net Weight	310kgs
Displacement	175cm
Max Power	9.2kw/8000r/min
Max Torque	12.3N.m/6000r/min
Brake (F/R)	Disc/Disc
Max Speed	60km/h
Max Load Capacity	300kgs
Fuel Consumption (L/100km)	≤5.1
Transmission Style	Chain



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL FX400 PREDATOR UTV



Engine	FX400
Engine Type	4-Stroke, Single Cylinder, Water Cooled, 4 Valve, Balance Axis
Front & Rear Tire Size	2x8-12/25x10-12
Brake Rear/ Steering	Rear Single Axle Hydraulic Disk/ Rock and Pinion Steering
Fuel Capacity	9.5L (2.1 Gallon)
Gear Selection	F-N-R
Front Suspension	Double A-Arm Suspension
Rear Suspension	Fang Power 4-Link Bar Rear Suspension
Ignition System	D.C.D.I
Front Tread/ Rear Thread	1250mm (49.2 in)/ 1150mm (45.2 in)
Valve Configuration	SOHC
Front & Rear Rim Size (Alloy)	12x6/12x8
Starting System	Electric Start
Displacement	400cc
Fuel Delivery System/Choke System	Fuel Pump + Vacuum Diaphragm PZ 30 Carburetor/ Automatic
Max Torque	25 N.m/5000rpm
Brake (F/R)	220mm F/R Dual Hydraulic Disk
Speed/Fuel Meter	LED Meter
Horse Power	18kw/6500rpm/25HP
Battery	12AH 12V
Fuel Consumption (L/100km)	≤5.1
Transmission Style	Constantly Variable Transmission
Forward Lights	Headlights – High & Low Beam LED Light
Driveline Type/ Final Drive	2x4/ Shaft Drive



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL BS250AU-41 WITH SPRAYER



Name	Farm ATV 250 (FATV 250)
Engine / Engine Type	ZS167mm / Single-Cylinder, Water Cooling, Transmission Shaft, Manual Clutch, Electrical Starting
Tire Size	Front : 22x7.0-10 Rear : 22x10-10
Hub	Front : Steel (5.5x10) Rear : Steel (8.0x10)
Front Suspension	Single Swing Arm
Rear Suspension	Plate Spring
Dimension	L*W*H (2550x1200x1390)
Wheel Base	1550mm
Seat Height	800mm
Mini Ground Floor	180mm
Net Weight	310kgs
Displacement	250cm
Max Power	11.5kw/6500r/min
Max Torque	17.5N.m/5500r/min
Brake (F/R)	Drum/Drum
Max Speed	≥65km/h
Sprayer Tank	180L
Max Load Capacity	300kgs
Fuel Consumption (L/100km)	≤5.1
Transmission Style	Shaft



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL 6BT & 6AT



	6BT	6AT
Weight	2000kgs	2200kgs
Max Loading	2000kgs	2000kgs
Gear	3 Forward Gear + 1 Reverse	3 Forward Gear + 1 Reverse
Driving Speed	0-8km/h	0-8km/h
Carriage Dimension	2000*1800*900mm	2000*1800*900mm
Gradeability	30 Degree	30 Degree
Engine Power	25kw	25kw
Over-Obstacle Capacity	30cm	30cm
Whole Car L*W*H Size	4000*1800*2474mm	6000*1800*2200mm
Diesel Engine Type	CF40M	CF40M
Ground Clearance	250mm	250mm
Fording Depth	500mm	500mm
Wade Mud Depth	400mm	400mm
Lifting Height	1900mm	1900mm
Max. Platform	6000mm	6000mm
Ground Contact Length of Track	2000mm	2000mm
Crawler Width	400mm	400mm



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL 2FZ-200



Name	Crawler Fertilizer
Engine/Model No	Diesel, Air Cooled Engine / 186FSE
Output Power	6.3kw
Dimension	2350mm x 650mm x 1750mm
Net Weight	460kgs
Working Width	8m-10m
Tank Capacity	2000kgs
Working Efficiency	>3000kg/hm ²



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL 3GS-102



Name	Crawler Wood Chipper
Starting Method	Recoil or Electric Start
Cutting Capacity	10-80mm
Working Efficiency	800kg/h
Particle Size	Nubby and Grainiess
Engine	Diesel, Air Cooled Engine
Output Power	13hp/3600rpm



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL TILLER BSD 1350



Name	Tiller
Engine Model	186FA
Starting System	Recoil or Electric Start
Packaging Dimension	1030mm x 580mm x 870mm
Dimension	1970*740*1270mm
Bucket Inside Size	1430*740*670mm
Fuel Tank Capacity	5.5L
Displacement	418ml
Max Power	10HP
Tire	4.08-8
Blades	4 Pieces x 4 Group



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL 5TA



Model	MH-7Y5000
Machine Weight	1950kg
Overall Size	3650*1600*1900mm
Maximum Payload	4500kg
Chassis Size	2040*1600*450mm
Wading Depth	500mm
Container Size	2400*1600*440mm
Swampland Depth	400mm
Power	490/50
Track Width	400mm
Hight from Ground	350mm
Grounding Length	2000mm
Running Speed	12km/h



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

MODEL FS-600A



Name	Garden Sprayer
Engine	Diesel Engine 192
Start Type	Diesel Electric Start
Fan Diameter	600mm
Sprayer Nozzle	20pcs/Independent Switch
Fan Tower	Yes
Sprayer Pump	Three Cylinder Plunger Pump 30
Blade Material	Standard Modified Nylon/ Optional Aluminum Alloy
Overall Size	800x100x1400mm
Net Weight	120kgs
Sprayer Tank	Yes



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

FLOOD BOXWALL



Name	DZ50 Boxwall
Size	W70.5*H52.8*D68
Materials	ABS



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

M301T



Model	M301T
Net Weight	300kg
Engine	6.5 HP, Gasoline / Net Weight: 180 kg/Transmission: 3 Forward + 1 Reverse/ Brake Parking: Mechanical/ Measurement: 1510 x 667 x 965mm/ Box Length: 900 mm/ Box Width: 660 mm/ Box Depth: 285 mm
Dimensions (L*W*H)	1970*740*1270mm
Bucket Inside Size (L*W*H)	1430*740*670mm
Data of Rubber Track	Standard Track Length: 34 x 60mm Standard Track Width: 180 mm Outer distance from the track: 650mm
Capacity	Start mode: Manual or Electric Rated Power: 4.1 kw/3600 rpm Max. Torque: 12.4 N.m/2500 rpm Bore Stroke: 68 x 54mm Displacement: 196cc Fuel Tank Capacity: 3.6L Oil Capacity: 0.6L
Max Loading Weight	300 KG



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net

CATALOGUE

CHANGFA ENGINE CF40M



Name/Model	Changfa Engine CF40M
Type	Single Cylinder Horizontal 4 Strokes
Cooling System	Hopper
Combustion System	Direct Injection
Bore	140mm
Stroke	130mm
Displacement	2.0L
Rated Output	26.5kW
Rated Speed	2200
Fuel Consumption	≤244.8g/kw.h
Capacity of Water Tank	25L
Capacity of Fuel Tank	22L
Capacity of Oil	3.5L
Lubrication System	Combined Pressure and Splashing
Starting System	Electric Starting
Overall Dimension (LxWxH)	1052x544x808mm
Net Weight	≤240kg



MAX CROPS MACHINERY SDN BHD (1250615-K)

No 41 Jalan BA 2/1,
Kawasan Perindustrian Bukit Angkat,
43000, Kajang, Selangor

Office : +603 8740 5958
Email : admin@maxcrops.net

H/P : +6018 386 8798
Website : www.maxcrops.net